

Safety Instructions

P321167

FIBERTRAC FT3*.*****(*)**

MINITRAC MT3*.*****

SOLITRAC ST3*.*****(*)**



Document ID: 46916



VEGA



**GOVERNMENT OF INDIA
MINISTRY OF COMMERCE & INDUSTRY
PETROLEUM AND EXPLOSIVES SAFETY ORGANISATION (PESO)
(Formerly Department of Explosives)
CGO COMPLEX SEMINARY HILLS
NAGPUR 440006**



SPEED POST

Letter No: A/P/HQ/MH/104/3081(P321167)
Email :explosives@explosives.gov.in
Phone/Fax No.2510248/2510577
Dated : 4/7/2013

To
M/s. VEGA Grieshaber KG
77757 Schiltach,
Germany.

Sub:Approval of Radiometric Sensor PROTRAC Type FIBERTRAC FT3*.*.*.*.*.*.*.*.*.* Type MINITRAC MT3*.*.*.*.*.*.*.*.*.* and Type SOLITRAC ST3*.*.*.*.*.*.*.*.*.* - under Petroleum Rules, 2002.

Dear Sir(s),

Please refer to letter No CCOE/VEGA/NUCL/ADD-5/L-II dated 28/12/2012 from M/s. VEGA India Level & Pressure Measurement Pvt. .L.td.,PUNE on the above subject.

The following Flame Proof equipment(s) manufactured by you according to EN 60079-0 : 2009, EN 60079-1 : 2007 & EN 60079-11 : 2007 standards and covered under DEKRA, Germany Test reports mentioned below is approved for use in **Zone 1** of Gas Group IIC hazardous areas coming under the purview of the Petroleum Rules, 2002 administered by this Organization.

Sr.No	Description	Safety Protection	CCEs Identification Number	Test House	Test Report No.	Drawing Numbers
1	Radiometric Sensor PROTRAC Type FIBERTRAC FT3*.*.*.*.*.*.*.*.*.* (*).*. Type MINITRAC MT3*.*.*.*.*.*.*.*.*.* and Type SOLITRAC ST3*.*.*.*.*.*.*.*.*.* *.*.	Ex d [ia Ga] IIC T6 Gb	P321167/1	DEKRA, Germany	BVS 10 ATEX E 096 Dt.02/08/2010	As per Test Report

This Approval is granted subject to observance of the following conditions:-

- 1). The design and construction of the equipment shall be strictly in accordance with description, condition and drawings as mentioned in the DEKRA, Germany Test Reports referred to above
- 2). The equipment shall be used only with approved type of accessories and associated apparatus
- 3). Each equipment shall be marked either by raised lettering cast integrally or by plate attached to the main structure to indicate conspicuously
 - (a) Name of the manufacturer
 - (b) Name and number by which the equipment is identified
 - (c) Number & Date of the test Report of the DEKRA, Germany applicable to the equipment
 - (d) CCEs Identification Number of this letter by which use of the apparatus is approved
- 4). A certificate to the effect that the equipment has been manufactured strictly in accordance with the drawing referred to in the DEKRA, Germany test reports and is identical with the one tested and

- certified at DEKRA, Germany shall be furnished with each equipment
- 5). The customer shall be supplied the copy of this letter, an extract of the conditions and maintenance schedule, if any recommended by DEKRA, Germany in their test reports and copy of instructions booklet detailing operation and maintenance of the equipment so as to maintain its Flame Proof safety characteristics
 - 6). The After sales service and maintenance of subject equipment shall be looked after by your representative M/s. VEGA India Level & Pressure Measurement Pvt. .L.td.,3B 3rd Floor Mutha Chambers II,,Senapati Bapat Road, Sivaji Nagar,,PUNE,PUNE (Dist.) ,Maharashtra (State)

This Approval also covers the permissible variation as approved under the DEKRA, Germany test report referred above .This approval may be deemed to have been revoked with immediate effect at any time, if any of the conditions subject to which approval has been granted is violated or not complied with. The approval may also be amended or withdrawn at any time, if considered necessary in the interest of safety.

The field performance report from actual users /your customers of the subject equipment may please be collected and furnished to this office for verification and record at regular intervals.

This approval is otherwise valid a period of five years from the date of issue.

Yours faithfully,



(R.A.GUJAR)
Deputy Chief Controller of Explosives
for Chief Controller of Explosives
Nagpur

Copy to :

- 1.The Jt. Chief Controller of Explosives, West Circle, Mumbai; East Circle, KolKata; South Circle, Chennai; North Circle, Faridabad; Central Circle, Agra.
- ✓ M/s. VEGA India Level & Pressure Measurement Pvt. .L.td., 3B 3rd Floor Mutha Chambers II, Senapati Bapat Road, Sivaji Nagar, PUNE,Distt. PUNE(Maharashtra)



for Chief Controller of Explosives

Printing date:

VEGA

All statements concerning scope of delivery, application, practical use and operating conditions of the sensors and processing systems correspond to the information available at the time of printing.

Subject to change without prior notice

© VEGA Grieshaber KG, Schiltach/Germany 2014



46916-EN-140129

VEGA Grieshaber KG
Am Hohenstein 113
77761 Schiltach
Germany

Phone +49 7836 50-0
Fax +49 7836 50-201
E-mail: info.de@vega.com
www.vega.com