



E-mail : explosives@explosives.gov.in  
Phone/fax No : 0712-2510248, Fax-2510577

Approval No : A/P/HQ/MH/104/5913 (P420111)

Dated 06/06/2018

To,

M/s. VEGA Grieshaber KG,  
Am Hohenstein 113, 77761 Schiltach, Deutschland, Schiltach  
77761  
GERMANY

(6)

SPEED POST JUN 17 2018

Sub : Approval of Flame Proof, Intrinsically Safe Type under Petroleum Rules 2002 Regarding

Sir(s),

Please refer to your letter No. **CCOE/VEGA/VEAPULS/AT** dated **08/05/2018** on the subject.

The following Ex electrical equipment(s) manufactured by you according to **EN 60079-0 : 2009, EN 60079-0 : 2012/A11 : 2013, EN 60079-1 : 2007, EN 60079-11 : 2012, EN 60079-26 : 2007**, standards and covered under **PTB** Test reports mentioned below is/are approved for use in **Zone 1** of Gas **IIC** hazardous areas coming under the the Petroleum Rules, 2002 administered by this Organization.

Sr. No	Description	Safety Protection	Equipment reference Number	Test Agency			Drawing no
				Name	Certificate No.	Certificate Date	
1	Level measuring instrument microwave type VE-GAPULS PS6(*) C(*)***D/I/***	II 1G or II 1/2G or II 2G I Ex ia IIC T8-T1 Ga, Ga/Gb	P420111/1	Physikalisch-Technische Bundesanstalt (PTB)	PTB 03 ATEX 2060 X issue 01	20/03/2018	As per test report
2	Radar Sensors Type Series VE-GAPULS PS6(*) D(*)***D/I/K/L/P/I/G/M/B/I/****	II 1/2 G 2 G Ex d ia IIC T8-T1 Ga/Gb Gb	P420111/2	Physikalisch-Technische Bundesanstalt (PTB)	PTB 03 ATEX 2163 X supplement 7	16/05/2011	as per report
3	VE-GAPULS PS6(*) C(*)***K/L/P/I/****	II 1 G, 1/2G, 2G Ex ia IIC T8-T1 Ga, Ga/Gb, Gb	P420111/3	PTB	PTB 03 ATEX 2089 X supplement 4	06/05/2010	as per report

This Approval is granted subject to observance of the following conditions:-

- The design and construction of the equipment shall be strictly in accordance with description, condition and drawings as mentioned in the PTB Test Reports referred to above.
- The equipment shall be used only with approved type of accessories and associated apparatus.
- Each equipment shall be marked either by raised lettering cast integrally or by plate attached permanently to the main structure to indicate conspicuously:
  - Name of the manufacturer
  - Name and number by which the equipment is identified
  - Number & date of the test report of the PTB applicable to the equipment
  - Equipment reference number of this letter by which use of apparatus is approved.
  - Protection level.
- A certificate to the effect that the equipment has been manufactured strictly in accordance with the drawing referred to in the PTB Test report and is identical with the one tested and certified at PTB shall be furnished with each equipment.
- The customer shall be supplied with a copy of this letter, an extract of the conditions and maintenance schedule, if any, recommended by PTB in their test reports and copy of instructions booklet detailing operation & maintenance of the equipment so as to maintain its Flame Proof characteristics.
- The After sales service and maintenance of subject equipment shall be looked after by your representative M/s. Vega India Level And Pressure Measurement Private Limited, Plot No. 1, Gat No. 181, Village Fulgaon, Tehsil Haveli, Fulgaon Industrial Estate, District Pune - 412 216 (Maharashtra)

This approval also covers the permissible variations as approved under the PTB test reports referred above. This approval is liable to be cancelled if any of the conditions of the approval is violated or not complied with. The approval may also be amended or withdrawn at any time, if considered necessary in the interest of safety.

The field performance report from actual users/your customers of the subject equipment may please be collected and furnished to this office for verification and record on annual basis.  
The Approval is Valid upto **31/12/2022**

Yours faithfully,

(R.A.GUJAR)  
Dy. Chief Controller of Explosives  
For Chief Controller of Explosives  
Nagpur

Copy to :  
1. Jt. Chief Controller of Explosives, West Circle, MUMBAI  
2. M/s Vega India Level And Pressure Measurement Private Limited, Plot No. 1, Gat No. 181, Village Fulgaon, Tehsil Haveli, Fulgaon Industrial Estate, District Pune - 412 216 (Maharashtra)  
For Chief Controller of Explosives  
Nagpur



(For more information regarding status, fees and other details please visit our website <http://peso.gov.in>)  
submit the revalidation application one month before the date of Expiry of approval otherwise approval will be treated as cancelled and a fresh application for approval will be the approval.





