

CERTIFICATE OF COMPLIANCE

Certificate Number E498814
Report Reference E498814-20200929
Date 2020-October-08

Issued to: VEGA Grieshaber KG
Am Hohenstein 113
Schiltach77761 DE

**This is to certify that
representative samples of**

PROCESS CONTROL EQUIPMENT FOR USE IN
HAZARDOUS LOCATIONS
PROCESS CONTROL EQUIPMENT FOR USE IN ZONE
CLASSIFIED HAZARDOUS LOCATIONS

See Addendum Page for Product Designation(s).

Have been investigated by UL in accordance with the
Standard(s) indicated on this Certificate.

Standard(s) for Safety: See Addendum Page for Standards

Additional Information: See the UL Online Certifications Directory at
<https://iq.ulprospector.com> for additional information

This Certificate of Compliance does not provide authorization to apply the UL Mark. Only the UL Follow-Up Services Procedure provides authorization to apply the UL Mark.

Only those products bearing the UL Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Certification Mark on the product.



Bruce Mahrenholz, Director North American Certification Program

UL LLC



Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations>.



CERTIFICATE OF COMPLIANCE

Certificate Number E498814
Report Reference E498814-20200929
Date 2020-October-08

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements

Product:

USL – Class I, Division 1, Groups A, B, C and D, Hazardous Locations, Class I, Zone 0, AEx ia IIC T4 Ga or Class I, Zone 0/1, AEx ia IIC T4 Ga/Gb or Class I Zone 1, AEx ia IIC T4 Gb.

CNL - Class I, Division 1, Groups A, B, C and D, Hazardous Locations, Class I, Zone 0, Ex ia IIC T4 Ga X or Class I, Zone 0/1, Ex ia IIC T4 Ga/Gb X or Class I Zone 1, Ex ia IIC T4 Gb X.

Pressure Transmitter VEGABAR, followed by numbers 2 or 3, followed by numbers 8 or 9, followed by **, where ** is reserved and considered as not safety relevant. They are powered by associated apparatus and are intrinsically safe when installed per the Control Drawing no. GE4234-1, -2, -3.

Standards:

UL 913, Intrinsically Safe Apparatus and Associated Apparatus for Use in Class I, II, and III, Division 1, Hazardous (Classified) Locations

UL 60079-0 Explosive Atmospheres - Part 0: Equipment - General Requirements

UL 60079-11, Explosive Atmospheres – Part 11: Equipment Protection by Intrinsic Safety “i”

UL 60079-26 Standard for Explosive Atmospheres – Part 26: Equipment with Equipment Protection Level (EPL) Ga

CSA C22.2 no. 60079-0:19 Explosive Atmospheres - Part 0: Equipment - General Requirements

CAN/CSA-C22.2 No. 60079-11:14, Explosive atmospheres - Part 11: Equipment protection by intrinsic safety “i”

CAN/CSA-C22.2 No. 60079-26:16 Explosive atmospheres - Part 26: Equipment with Equipment Protection Level (EPL) Ga



Bruce Mahrenholz, Director North American Certification Program

UL LLC



Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations>

