

#### Reliable

Reliable measurement of process water volume

#### Cost effective

Maintenance-free measurement with high accuracy

#### User friendly


Simple mounting and setup

## Heating condenser

### Level measurement in the heat condenser

In the heating condenser, steam is used to provide energy for a district heating network. The outgoing temperature of the heating water is controlled by the prevailing weather conditions. As part of this system, level sensor mounted in a bypass tube measures level of the condensate.

[More details](#)



### VEGAFLEX 81

The guided radar sensor measures the level of the condensate in a bypass tube

- High measurement certainty despite large temperature and pressure fluctuations, high temperatures and steam
- Easy retrofit to existing installations
- A variety of sensor designs for different installation conditions

[Show Product](#)

**VEGAFLEX 81**[Show Product](#)**Measuring range - Distance**

75 m

**Process temperature**

-60 ... 200 °C

**Process pressure**

-1 ... 40 bar

**Accuracy**

± 2 mm

**Version**

Basic version for exchangeable cable ø 2; ø 4 mm  
 Basic version for exchangeable rod ø 8 mm  
 Basic version for exchangeable rod ø 12 mm  
 Coax version ø 21.3 mm for ammonia application  
 Coax version ø 21.3 mm with single hole  
 Coax version ø 21.3 mm with multiple hole  
 Coax version ø 42.2 mm with multiple hole  
 Exchangeable rod ø 8 mm  
 Exchangeable rod ø 12 mm  
 Exchangeable cable ø 2 mm with gravity weight  
 Exchangeable cable ø 4 mm with gravity weight  
 Exchangeable cable ø 2 mm with centering weight  
 Exchangeable cable ø 4 mm with centering weight  
 Exchangeable cable ø 4 mm without weight  
 exchangeable, PFA-coated cable ø4 mm with non-coated  
 centering weight

**Materials, wetted parts**

PFA  
 316L  
 Alloy C22 (2.4602)  
 Alloy 400 (2.4360)  
 Alloy C276 (2.4819)  
 Duplex (1.4462)  
 304L

**Threaded connection**

≥ G¾, ≥ ¾ NPT

**Flange connection**

≥ DN25, ≥ 1"

**Seal material**

EPDM  
 FKM  
 FFKM  
 Silicone FEP coated  
 Borosilicate glass

**Housing material**

Plastic  
 Aluminium

Stainless steel (precision casting)  
Stainless steel (electropolished)