



Reliable

Reliable measurement in corrosive gases

Cost effective

Maintenance-free operation

User friendly


Simple installation and setup

Coke oven

Pressure measurement in the coke oven

Coke provides the necessary process heat, serves as a metal reducing agent and is a supporting matrix in the blast furnace. To achieve a high quality coke, the pressures in each of the separate ovens of a coking plant are individually regulated.

[More details](#)



VEGABAR 82

Pressure transmitter for pressure monitoring in coke ovens

- High durability thanks to CERTEC® ceramic measuring cell
- Exact measurement even in very small measuring ranges
- High plant availability through very high overload resistance of measuring cell

[Show Product](#)

VEGABAR 82

[Show Product](#)**Measuring range - Distance**

-

Measuring range - Pressure

-1 ... 100 bar

Process temperature

-40 ... 150 °C

Process pressure

-1 ... 100 bar

Accuracy

0.05 %

Materials, wetted parts

PVDF
 316L
 Alloy C22 (2.4602)
 PP
 1.4057
 1.4410
 Alloy C276 (2.4819)
 Duplex (1.4462)
 Titanium Grade 2 (3.7035)

Threaded connection≥ G $\frac{1}{4}$, ≥ $\frac{1}{4}$ NPT**Flange connection**≥ DN15, ≥ $\frac{1}{2}$ "**Hygienic fittings**

Clamp ≥ 1" - DIN32676, ISO2852
 Slotted nut ≥ DN25 - DIN 11851
 hygienic fitting with tension flange DN32
 hygienic fitting F40 with compression nut
 DRD connection ø 65 mm
 SMS 1145 DN51
 SMS DN38
 Swagelok VCR screwing
 Varivent G125
 Varivent N50-40
 for NEUMO BioControl D50 PN16 / 316L

Seal material

EPDM
 FKM
 FFKM