

**Reliable**

Accurate measurement down to the bottom of the vessel

**Cost effective**

Sensor is quick and easy to install

**User friendly**


Visualised display of measurements

## IBC-Tank (metallic)

### Level measurement of liquids in transport containers

In many of the production processes in the chemical industry, small quantities of various chemicals are needed in order to improve the characteristics of certain products. The media are often provided directly to the production areas in small, transport containers. Accurate level measurement ensures a continuous supply of materials for production.

[More details](#)



### VEGAPULS 6X

Non-contact level measurement with radar in transport tanks

- Precise measurement even in small containers
- Non-contact measurement allows the changing of IBC tanks without dismantling the sensor
- Direct display of measured vessel content on sensor display

[Show Product](#)

**VEGAPULS 6X**[Show Product](#)**Measuring range - Distance**

120 m

**Process temperature**

-196 ... 450 °C

**Process pressure**

-1 ... 160 bar

**Accuracy**

± 1 mm

**Frequency**

6 GHz

26 GHz

80 GHz

**Beam angle**

≥ 3°

**Materials, wetted parts**

PTFE

PVDF

316L

PP

PEEK

**Threaded connection**

≥ G¾, ≥ ¾ NPT

**Flange connection**

≥ DN20, ≥ ¾"

**Hygienic fittings**

Clamp ≥ 1½" - DIN32676, ISO2852

Slotted nut ≥ 2", DN50 - DIN 11851

Varivent ≥ DN25

hygienic fitting with tension flange DN32

hygienic fitting F40 with compression nut

Hygienic screw connections ≥ DN50 tube ø53 -

DIN11864-1-A

Hygienic flange connection ≥ DN50 DIN11864-2

Hygienic clamp connection ≥ DN50 pipe Ø53 - DIN11864-

3-A

DRD connection ø 65 mm

SMS 1145 DN51